IN THE CLAIMS

Please substitute claims 1-29 with the following:

(Currently Amended) A system for distributing a content, comprising:

an identification certificate issued by an identification authority containing a template serving as identification data of a user receiving a content, said template including at least one piece of personal biotic information or personal non-biotic information:

container information in which a content transaction condition is set including an identification certificate identifier list associating with said identification certificate:

a content key for enciphering a content;

a secure container including the content enciphered with the content key and said container information;

a content distributor for distributing the content by moving said secure container; and at least one user device for transacting the content with said content distributor_s[[;]]

wherein, whereby

user authentication is performed in accordance with the identification certificate identified on the basis of the identification certificate identifier list when said secure container is moved, so that the content usable on said user device is distributed with content transaction managed, and

said content distributor is a service provider distributing said secure container, and said user device receiving said secure container authenticates a user thereof by comparing the template contained in the identification certificate identified on the basis of the identification Response to November 1, 2006 Office Action Application No. 09/945,273

Page 4

certificate identifier list with sampling information input by the user, subsequently informing the service provider of the user authentication result.

- (Currently Amended) A system for distributing a content according to Claimclaim 1, wherein said identification certificate is issued by an identification authority, third party organization.
- 3. (Currently Amended) A system for distributing a content according to Claim. claim 1, wherein said container information further includes data in which the condition of secondary distribution is set, the secondary distribution redistributing the content after first distribution.
- 4. (Withdrawn) A system for distributing a content according to Claim. 1, wherein said content distributor is a service provider distributing said secure container, the service provider authenticating a user of said user device receiving said secure container through comparing the template contained in said identification certificate identified on the basis of the identification certificate identifier list with sampling information input by the user, subsequently allowing the content to be used on said user device, provided that the user has been authenticated.
- 5. (Withdrawn) A system for distributing a content according to Claim. 1, wherein said content distributor is a service provider distributing said secure container, and the service provider authenticates a user of said user device receiving said secure container by comparing the template contained in said identification certificate identified on the basis of the identification certificate identifier list with sampling information input by the user, subsequently distributing

Response to November 1, 2006 Office Action Application No. 09/945,273

Page 5

said content key with which the content contained in said secure container was enciphered, provided that the user has been authenticated.

6. (Currently Amended) A system for distributing a content according to Claim. 1, wherein said content distributor is a service provider distributing said secure container, and said user device receiving said secure container authenticates a user thereof by comparing the template contained in the identification certificate identified on the basis of the identification certificate identifier list with sampling information input by the user, subsequently informing the service provider of the user authentication result, and thus the service provider allows the content

to be used on said user device, provided that the user has been authenticated.

- 7. (Currently Amended) A system for distributing a content according to Claim. claim 1, wherein said content distributor is a service provider distributing said secure container, and said user device receiving secure container authenticates a user thereof by comparing the template contained in the identification certificate identified on the basis of the identification certificate identifier list with sampling information input by the user, subsequently informing the service provider of the user authentication, thereby the service provider distributing distributes to said user device said secure container and said content key with which the content contained in said secure container was enciphered, provided that the user has been authenticated.
- 8. (Withdrawn) A system for distributing a content according to Claim. 1, wherein said content distributor is a service provider and said at least one user device comprises a plurality of user devices, and said identification certificate is previously contained in the service provider or a user device that is to perform the user authentication, said identification certificate

Response to November 1, 2006 Office Action Application No. 09/945,273

Page 6

being to be used for user authentication performed when said secure container is moved between the service provider and a user device and between user devices.

9. (Withdrawn) A system for distributing a content according to Claim. 1, wherein said content distributor is a service provider and said at least one user device comprises a plurality of user devices, and said identification certificate is acquired from an identification authority, identification certificate issuer, by the service provider or a user device that is to perform the user authentication, the identification certificate being to be used for user authentication performed when the secure container is moved between the service provider and a user device and between user devices.

- 10. (Currently Amended) A system for distributing a content according to Claim. claim 1, wherein said container information further includes data for permitting content use including reproduction and copying, thereby allowing said user device receiving the secure container to use the content under the restriction of content use in accordance with the data for permitting content use.
- (Currently Amended) A system for distributing a content according to Claim.
 wherein said secure container further includes a digital signature provided by a secure container producer.
- 12. (Currently Amended) A system for distributing a content according to Claims.
 claim 1, wherein the identification certificate identifier list includes data associating an identifier of a content user with a identification certificate identifier of the user.
- (Currently Amended) A system for distributing a content according to Claim.
 t, wherein said content distributor is a service provider and said at least one user device

Response to November 1, 2006 Office Action Application No. 09/945,273

Page 7

comprising a plurality of user devices, each of the service provider and the user devices performing content transaction having an encryption processing unit, and the user devices authenticate one another when data are transmitted therebetween, subsequently a datatransmitting user device generating a digital signature to data to be transmitted, a data-receiving

user device verifying the digital signature.

14. (Currently Amended) A system for distributing a content according to Claim.

claim 1, wherein the template includes at least one piece of information selected from among

personal biotic information including fingerprint information, retina pattern information, iris

pattern information, voice print information, and handwriting information and a non-biotic

information including a seal, a passport, a driver's license, and a identification card or any

combination of the biotic and non-biotic information and a password.

15. (Currently Amended) A method of distributing a content, comprising the steps

<u>of</u>:

the step-of distributing a content by moving a secure container including the content enciphered with a content key and container information in which a content transaction condition is set including an identification certificate identifier list associating with an identification certificate containing a template serving as identification data of a user to which a content is distributed; said identification certificate being issued by an identification authority, and said template including at least one piece of personal biotic information or personal non-biotic information; and

the step of performing user authentication in accordance with the identification certificate identified on the basis of the identification certificate identifier list when the secure container is moved to distribute the content,

wherein, whereby

in said step of performing user authentication, a user device receiving the secure container authenticates a user thereof by comparing the template contained in the identification certificate identified on the basis of the identification certificate identifier list with sampling information input by the user, and the user device informs the service provider distributing the secure container of the user authentication according to said step of performing user

the content usable on a user device is distributed with content transaction managed, and

 $\underline{authentication}.$

- (Currently Amended) A method of distributing a content according to Claim.
 the identification certificate is issued by an identification authority, third party organization.
- 17. (Currently Amended) A method of distributing a content according to Claim.
 15, wherein the container information includes data in which the condition of secondary distribution is set, the secondary distribution redistributing the content after first distribution.
- 18. (Withdrawn) A method of distributing a content according to Claim. 15, wherein, in said step of performing user authentication, a service provider distributing a secure container compares the template contained in the identification certificate identified on the basis of the identification certificate identifier list with sampling information input by a user of a secure container receiving device, thereby authenticating the user, and said method further comprises:

Page 9

the step in which the service provider allows a content to be used on the secure container receiving device, provided that the user has been authenticated.

19. (Withdrawn) A method of distributing a content according to Claim. 15, wherein, in said step of performing user authentication, a service provider distributing the secure container compares the template contained in the identification certificate identified on the basis of the identification certificate identifier list with sampling information input by a user of a secure container receiving device, thereby authenticating the user, and said method further comprises:

the step in which the service provider distributes the content key with which the content contained in the secure container was enciphered, provided that the user has been authenticated.

20. (Currently Amended) A method of distributing a content according to Claim. claim 15, wherein, in said step-of performing user authentication, a user device receiving secure container authenticates a user thereof by comparing the template contained in the identification certificate identified on the basis of the identification certificate identifier list with sampling information input by the user, and said method further comprising comprises:

the step in which the user device informs the service provider distributing the secure container of the user authentication according to said step of performing user authentication; and

the step in which the service provider allows the content to be used on the secure container receiving device, provided that the user has been authenticated.

21. (Currently Amended) A method of distributing a content according to Claims.

claim 15, wherein, in said step of performing user-authentication, a user device receiving the secure container authenticates a user thereof by comparing the template contained in the

identification certificate identified on the basis of the identification certificate identifier list with

sampling information input by the user, and said method further comprising comprises:

the step in which the user device informs the service provider distributing the secure

container of the user authentication according to said step of performing user authentication;

the step in which the service provider distributes the secure container to the user device,

provided that the user of the user device has been authenticated; and

the step in which the service provider distributes the content key with which the content

contained in the secure container was enciphered, provided that the user of the user device has

been authenticated.

22. (Withdrawn) A method of distributing a content according to Claim. 15, wherein

the identification certificate which is to be used for user authentication performed when the

secure container is moved between a service provider and a user device and between user

devices is previously contained in the service provider or a user device that is to perform the user

authentication.

23. (Withdrawn) A method of distributing a content according to Claim. 15, wherein

the identification certificate which is to be used for user authentication performed when the

secure container is moved between a service provider and a user device and between user

devices is acquired from an identification authority, identification certificate issuer, by the

service provider or a user device that is to perform the user authentication.

24. (Currently Amended) A method of distributing a content according to Claim.

claim 15, wherein the container information further includes data for permitting content use

including reproduction and copying, thereby allowing a secure container receiving device to use

Response to November 1, 2006 Office Action

Application No. 09/945,273

Page 11

the content under the restriction of content use in accordance with the data for permitting content

use.

25. (Currently Amended) A method of distributing a content according to Claim.

claim 15, wherein each of the service provider and user devices transacting a content has an

encryption processing unit, and said method further comprises:

the step in which user devices authenticate one another when data are transmitted

therebetween:

the step in which a data-transmitting user device generates a digital signature to data to be

transmitted; and

the step in which a data-receiving user device verifies the digital signature.

26. (Withdrawn) An information processing apparatus for distributing a content by

moving a secure container including a content enciphered with the content key and container

information, in which a content transaction condition is set, including an identification certificate

identifier list associating with an identification certificate containing a template serving as

identification data of a user to which the content is distributed, said identification certificate

being issued by an identification authority, and said template including at least one piece of

personal biotic information or personal non-biotic information, said apparatus comprising:

a section for performing user authentication through comparing the template contained in

the identification certificate identified on the basis of the identification certificate identifier list

with sampling information input by a user of a secure container receiving device; and

a section for allowing the content to be used on the secure container receiving device,

provided that the user has been authenticated.

Response to November 1, 2006 Office Action Application No. 09/945,273

Page 12

27. (Withdrawn) An information processing apparatus according to Claim. 26,

further comprising a section for distributing the content key with which the content contained in

the secure container was enciphered, provided that the user has been authenticated.

28. (Previously Presented) An information processing apparatus for receiving a

content by moving a secure container including a content enciphered with the content key and

container information, in which a content transaction condition is set, including an identification

certificate identifier list associating with an identification certificate containing a template

serving as identification data of a user to which the content is distributed, said identification

certificate being issued by an identification authority, and said template including at least one

piece of personal biotic information or personal non-biotic information, said apparatus

comprising:

a section for performing user authentication through comparing the template contained in

the identification certificate identified on the basis of the identification certificate identifier list

with sampling information input by a user thereof; and

a section for informing a secure container distributor of the user authentication.

(Cancelled).